

This document describes the features, operational issues, and major fixes for VideoXpert Professional (VxPro)™ software. Review each section to determine whether or not you should perform updates.



Note: For technical issues, contact Pelco Product Support at 1-800-289-9100 (USA and Canada) or +1-559-292-1981 (international).

Installing the system

If you have multiple drives, or have a designated recording directory, you should perform a custom installation so that you can select your recording directory. Performing a default installation will place your recording directory on the drive with the largest amount of free space.



Note: If installing on a JBOD unit, you must go to the VxStorage interface, and add your individual drives as recording volumes. If the drives have been added so that each is its own volume group, you must also assign cameras to the individual drives (as if they were separate recorders).

Updating your system

When updating your VxPro system, use the latest VxPro installer. This will update all of your installed VxPro components.

Sometimes, .NET updates are needed for elements used within VideoXpert systems because they run on Microsoft Operating Systems. Microsoft might require a reboot when .NET updates are installed.



Caution: Copy installers directly to and run them from your system. Pelco strongly recommends that you do not attempt to install VideoXpert from an external drive, such as a USB or network drive.



Caution: In order to upgrade to 3.1 or later, your current system must be VxPro v 2.5.x or later. You cannot update to VxPro 3.1 or later from VxPro versions earlier than 2.5.

VideoXpert Professional v 3.11 Release / Released December 8, 2020

Software Versions

- VxPro™ Bundled Installer v 3.11.0.339
- VxToolbox™ v 3.11.0.265
- VxOpsCenter™ and VxPlayer™ v 3.11.0.389

New Features and Improvements

- Users can customize command and shortcut key bindings on any QWERTY keyboard. (VxOpsCenter, VxPlayer)
- VxOpsCenter supports up to a 36-cell layout (6 x 6) per tab on the VideoXpert Professional Eco 2 Series Server, and up to a 64-cell layout (8 x 8) per tab on all other servers.
- The VideoXpert System logs the start and end times of all clips from all Exports. This additional data is visible in the Event Viewer and Event Reports.
- An historical record of the most-recent ten (10) names of a camera is saved and can be displayed in VxToolbox, VxPortal, and VxOpsCenter.
- Users can generate reports for line counters exported as CSV files. The reports can include specific counting lines, with bi-directional in/out counts listed separately, and with selectable duration granularity (per hour, day, week, month, or year). (VxToolbox)
- Events can be generated for Advanced Analytic line counters, such that a notification occurs when a maximum count threshold is met within a specified time duration. (VxToolbox, VxOpsCenter)
- In VxOpsCenter, users can perform a soft reset for line counting on a per-line basis.
- VxToolbox can now connect to a remote VideoXpert system over a WAN when the HTTPS port is open.

Known Issues

- After the trial license is activated and VxToolbox is connected to the system, the status of the trial license might not be updated in the *Device Settings* panel. The workaround is to disconnect from the VideoXpert site and then reconnect.
- In some cases, after you upgrade from VideoXpert Professional v 3.9 to v 3.10, VxToolbox will not launch. If this happens, reinstall VxToolbox v 3.10.

Test Information

- VxOpsCenter (Shared Display), VxPlayer, and VxPortal have been tested with:
 - Windows 7 Ultimate (6.1.7601 Service Pack 1 Build 7601)
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)
 - Windows 10 Pro (10.0.17763 build17763)
 - Windows 10 Version 1809 (OS Build 17763.1282)
- VideoXpert Professional has been tested with:
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)
 - Windows 10 version 1607 (OS Build 14393.3750) (Eco v2 Series Server)

VideoXpert Professional™ v 3.11 Release Notes

- Windows 10 version 1607 (OS Build 14393.4750) (Flex v2 Series Server)
- Windows Server 2019 1809 (OS Build 17763.1282) (Power v2 Series Server)

VideoXpert Professional v 3.10.1 Patch / Released October 22, 2020

Software Versions

- VxPro™ Bundled Installer v 3.10.1.21
- VxToolbox™ v 3.10.1.16
- VxOpsCenter™ and VxPlayer™ v 3.10.1.16

New Features and Improvements

- Added analytic support for Avigilon H4 Thermal Elevated Temperature Detection (ETD) camera and coupled blackbody. Allows for contactless pre-screening of people to detect indications of elevated body temperature.

Major Fixes

- Fixed an issue that prevented users from downloading and running the VideoXpert Professional v 3.10 release, because of a binary that was erroneously identified as malware by some third-party virus scanners. (Installer)
- Fixed issues that prevented the SUP license check from working correctly during VideoXpert System™ installation or upgrade.
- Fixed an issue that prevented the PTZ Preset rule response from working, when it was configured to trigger PTZ on a camera other than the camera that caused the initial event. (VxToolbox)
- Fixed an issue that prevented rules from being saved if a specific Access Point Source (door) was selected, and then *Any door* was selected in the rules section. (VxToolbox)
- Fixed an issue in VxOpsCenter where Optera IMM and OnCam Evo cameras would not stream video.
- Fixed an issue that caused VxToolbox to crash when configuring analytics for the Avigilon H4 Thermal Elevated Temperature Detection (ETD) camera.

Known Issues

- In some cases, after you upgrade from VideoXpert Professional v 3.9 to v 3.10, VxToolbox will not launch. If this happens, reinstall VxToolbox v 3.10.

Test Information

- VxOpsCenter (Shared Display), VxPlayer, and VxPortal have been tested with:
 - Windows 7 Ultimate (6.1.7601 Service Pack 1 Build 7601)
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)
 - Windows 10 Pro (10.0.17763 build17763)
 - Windows 10 Version 1809 (OS Build 17763.1282)
- VideoXpert Professional has been tested with:
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)
 - Windows 10 version 1607 (OS Build 14393.3750) (Eco v2 Series Server)

VideoXpert Professional™ v 3.11 Release Notes

- Windows 10 version 1607 (OS Build 14393.4750) (Flex v2 Series Server)
- Windows Server 2019 1809 (OS Build 17763.1282) (Power v2 Series Server)

VideoXpert Professional v 3.10 / Released September 10, 2020

Software Versions

- VxPro™ Bundled Installer v 3.10.0.273
- VxToolbox™ v 3.10.0.196
- VxOpsCenter™ and VxPlayer™ v 3.10.0.423

New Features and Improvements

- In VxToolbox, administrators can configure the recorder to remove frames of video after a configured retention period, resulting in increased retention time and storage cost savings.
- The VxOpsCenter Event Viewer plugin can filter on device name, data source name for audio and video sources, camera number, or source IP.
- VxOpsCenter supports the Logitech Extreme 3D Pro joystick.
- In VxOpsCenter, operators can create bookmarks that are not visible to everyone. A private bookmark is visible to the creator and to administrators.
- VxOpsCenter and VxPortal provide estimated Export file sizes in Investigations and during Quick Export, giving users an approximate size of the Export.
- In VxOpsCenter supports Zoom to Box; users can draw a box in a cell of a supported PTZ camera; the camera pans, tilts, and zooms such that the boxed area drawn by the user fills the cell.
- Advanced Analytics now supports counting people and/or vehicles using line-based counters. The cameras must be capable of running advanced analytics, and must have firmware version 3.4 or greater. (VxToolbox, VxOpsCenter)
- Trial licenses are available for enabling the Advanced Analytics Suite on supported cameras. The cameras must be capable of running advanced analytics, and must have firmware version 3.4 or greater. (VxToolbox, VxOpsCenter)

Known Issues

- In some cases, after you upgrade from VideoXpert Professional v 3.9 to v 3.10, VxToolbox will not launch. If this happens, reinstall VxToolbox v 3.10.

Test Information

- VxOpsCenter (Shared Display), VxPlayer, and VxPortal have been tested with:
 - Windows 7 Ultimate (6.1.7601 Service Pack 1 Build 7601)
 - Windows 10 Enterprise 2016 LTSB (10.0.14393 Build 14393)
 - Windows 10 Pro (10.0.17763 build17763)
 - Windows 10 Version 1809 (OS Build 17763.1282)
- VideoXpert Professional has been tested with:
 - Windows 10 Enterprise 2016 LTSB (10.0.14393 Build 14393)
 - Windows 10 version 1607 (OS Build 14393.3750) (Eco v2 Series Server)
 - Windows 10 version 1607 (OS Build 14393.4750) (Flex v2 Series Server)
 - Windows Server 2019 1809 (OS Build 17763.1282) (Power v2 Series Server)

VideoXpert Professional v 3.9 / Released June 23, 2020

Software Versions

- VxPro™ Bundled Installer v 3.9.0.191
- VxToolbox™ v 3.9.0.224
- VxOpsCenter™ and VxPlayer™ v 3.9.0.398

New Features and Improvements

- Added the ability to configure Vehicle in Zone Analytics for cameras that are capable of running the Pelco Advanced Analytics Suite based on camera model, camera firmware, and licensing. (VxToolbox) Also added the ability to configure and view associated events. (VxToolbox, VxPortal, and VxOpsCenter)
- Added the ability to configure Counterflow detection for people and vehicles on cameras that are capable of running the Pelco Advanced Analytics Suite based on camera model, camera firmware, and licensing. (VxToolbox)
- Administrators can configure confidence filtering on cameras that are capable of running the Pelco Advanced Analytics Suite based on camera model, camera firmware, and licensing. (VxToolbox)
- Using VxPlayer, you can export recordings in .MP4 and .AVI file formats, depending on the recording type and source camera. Audio can be included in the export. For .MP4 files, a timestamp can be included as subtitle text.
- In VxPlayer, a button has been added to switch between sequential playback (one cell shown) and synchronized playback (four cells shown).
- You can apply permissions that specify which monitors (per-monitor) can be controlled by which roles. (VxToolbox, VxOpsCenter)
- You can use the Rules Engine to configure Banner Notifications and Audio Alerts for specific combinations of Events and Devices. (VxToolbox, VxOpsCenter)
- Added the ability to set a maximum number of events to retain for System Event Retention in VxToolbox. For new systems, the default is 10,000 events; for upgraded systems, the maximum is set to the lowest value that does not require events to be deleted (10,000, 100,000, 1,000,000 or 10,000,000); for upgraded systems with more than 10,000,000 events, the maximum of 10,000,000 is applied.
- When using Multi-System Access Mode, you can launch VxOpsCenter client without providing login credentials. This will open VxOpsCenter client (in MSA mode) without connecting to a VX System. When you choose a system to access, you will be prompted for credentials for that system. (VxOpsCenter)
- Operators and Administrators can dismiss the SUP renewal notification for 7 days. (VxToolbox, VxOpsCenter)
- Streaming options default to unicast mode on new installations, but can be changed to multicast mode. This improvement was introduced in VideoXpert v 3.8. (VxToolbox, VxOpsCenter)

Known Issues

- Due to periodic issues, support for the following cameras/encoders will have limited support in v 3.7 and are no longer officially supported in v 3.8 or newer:
 - NET5300 Series Analog Camera Encoder (sold 2005-2013)
 - IP110 Series Cameras (sold 2007-2011)
 - IP3701 Series Cameras (sold 2007-2011)
 - Spectra Mini IP (SD4N) Series Cameras (sold 2008-2016)
 - Spectra IV IP (SD4N) Series Cameras (sold 2008-2015)
The Spectra IV IP (SD4E) Series Cameras sold between 2010-2016 is not affected by this notice.

It is recommended that before upgrading your system to version 3.8 or newer, a limited bench test is performed with the newer VX version along with the desired legacy camera(s) to ensure satisfaction with the performance.

- When there is a network disconnection and recording gaps are auto-filled for multiple GFC Multi 4-in-1 cameras, the recording from only one of the cameras is applied to all of the cameras. (VxOpsCenter)

Test Information

- VxOpsCenter (Shared Display), VxPlayer, and VxPortal have been tested with:
 - Windows 7 Ultimate (6.1.7601 Service Pack 1 Build 7601)
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)
 - Windows 10 Pro (10.0.17763 build17763)
- VideoXpert Professional has been tested with:
 - Windows 10 Enterprise 2016 LTSC (10.0.14393 Build 14393)



Pelco, Inc.
625 W. Alluvial Ave., Fresno, California 93711 United States
(800) 289-9100 Tel
(800) 289-9150 Fax
+1 (559) 292-1981 International Tel
+1 (559) 348-1120 International Fax
www.pelco.com

Pelco, the Pelco logo, and other trademarks associated with Pelco products referred to in this publication are trademarks of Pelco, Inc. or its affiliates. ONVIF and the ONVIF logo are trademarks of ONVIF Inc. All other product names and services are the property of their respective companies. Product specifications and availability are subject to change without notice.

© Copyright 2020, Pelco, Inc. All rights reserved.